CONTENTS

Dépôt de TiC sur fibres de carbone par CVD réactive: Influence des conditions expérimentales sur les caractéristiques des fibres obtenues . 1
C. Vincent, J. Dazord, H. Vincent and J. Bouix (Villeurbanne, France)

Conventional and high resolution transmission electron microscopy of $NbC_{\approx 0.88}$ single crystals 17
T. Epicier (Villeurbanne, France) and Y. Kumashiro (Ibaraki, Japan)

Spectroscopy and crystal structure of holmium and dysprosium complex compounds with glycine: $Ln(Gly)_3(H_2O)_3(ClO_4)_3$ 33
J. Legendziewicz and E. Huskowska (Joliot Curie, Poland), G. Argay (Budapest, Hungary) and A. Waskowska (Wrocław, Poland)

Phase relations in the vicinity of the compound $YBa_2Cu_3O_{7-\delta}$ at constant oxygen pressure 49
T. Graf, J. L. Jorda and J. Muller (Geneva, Switzerland)

Hyperfine fields at iron and carbon nuclei in $Gd_2Fe_{14}C$ 59
K. Erdmann, T. Sinnemann and M. Rosenberg (Bochum, F.R.G.) and K. H. J. Buschow (Eindhoven, The Netherlands)

Caractérisation thermique et cristallographique de $Li_2Mg_2(SO_4)_3$ dans le système Li_2SO_4–$MgSO_4$ 67
M. Touboul, E. Le Samedi and M. Quarton (Paris, France)

Spectroscopic study of rare earth chlorocomplexes in propylene carbonate 75
M. Hamze, J. Meullemeestre and F. Vierling (Strasbourg, France)

Calorimetric studies of Ce–Cu and Ce–Mg–Cu alloys 89
K. Nagarajan and F. Sommer (Stuttgart, F.R.G.)

Structural, magnetic and constitutional studies of a new family of ternary phases based on the compound Fe_3GaAs 103
I. R. Harris, N. A. Smith and E. Devlin (Birmingham, U.K.), B. Cockayne and W. R. MacEwan (Malvern, U.K.) and G. Longworth (Harwell, U.K.)

Study of the phase relations and superconductivity in the Ho_2O_3–BaO–CuO ternary system 121
Y. Zhang, J. Liang, X.-R. Chen, G. Rao, H. Liu, Y. Ni, D. Zheng and S. Xie (Beijing, China)

Investigation of $Fe_{3-x}V_xAl$ alloys with DO_3-type structure by X-ray, magnetostatic and Mössbauer effect methods 127
E. Popiel, M. Tuszynski, W. Zarek and T. Rendecki (Katowice, Poland)

Cs_3GeF_7 — ein neues Fluorogermanat(IV) 137
F. Averdunk and R. Hoppe (Giessen, B.R.D.)

Synthese ternärer Nitride von Alkalimetallen: Verbindungen mit Tantal, $MTaN_2$ mit M ≡ Na, K, Rb und Cs 147
H. Jacobs and E. von Pinkowski (Dortmund, F.R.G.)

Double sulphates of plutonium(III) and lanthanides with sodium 161
P. N. Iyer and P. R. Natarajan (Bombay, India)

© Elsevier Sequoia/Printed in The Netherlands

Equilibrium hydrogen pressures in vanadium alloys 167
S. O. Nelson (Pullman, WA, U.S.A.) and W. S. Jager (Pomona, CA, U.S.A.)

X-ray measurement of surface stress of U–0.75wt.%Ti alloy rods 179
W. Sha and Y.-H. Wang (Beijing, China)

Ternary intermetallic compounds synthesized by molten-metal-solution growth . . . 189
J. P. A. Westerveld, D. M. R. Lo Cascio, M. O. Doornik, P. I. Loeff and H. Bakker (Amsterdam, The Netherlands), H. J. M. Heijligers and G. F. Bastin (Eindhoven, The Netherlands)

Hydrogen absorption and phase transition in rapidly quenched La–Ni alloys 197
H. Miyamura, T. Sakai, K. Oguro, A. Kato and H. Ishikawa (Osaka, Japan)

High accuracy volumetric determination of hydrogen in rare earth hydrides 205
K. Conder and E. Kaldis (Zurich, Switzerland)

A thermodynamic optimization of the Al–Y system 213
Q. Ran, H. L. Lukas, G. Effenberg and G. Petzow (Stuttgart, F.R.G.)

Mössbauer spectroscopy study of $RFe_{12-x}V_x$ intermetallics 223
Th. Sinnemann and M. Rosenberg (Bochum, F.R.G.) and K. H. J. Buschow (Eindhoven, The Netherlands)

Thermal symmetry breaking transitions in NaCl-type solids 229
H. F. Franzen (Ames, IA, U.S.A.)

Solid state phase equilibria in the Pt–Ga–As system 233
X. Y. Zheng, K. J. Schulz, J.-C. Lin and Y. A. Chang (Madison, WI, U.S.A.)

Ammonothermalsynthese von kristallinem Siliciumnitridimid, Si_2N_2NH 241
D. Peters (Hürth, F.R.G.) and H. Jacobs (Dortmund, F.R.G.)

Properties of perovskite-type oxides.
I: Bulk and surface studies 251
L. G. Tejuca (Madrid, Spain)

Properties of perovskite-type oxides.
II: Studies in catalysis 261
L. G. Tejuca (Madrid, Spain)

$LaPt_2Ge_2$, a monoclinic variant of the tetragonal $CaBe_2Ge_2$-type structure 271
G. Venturini, B. Malaman and B. Roques (Vandoeuvre Les Nancy, France)

Crystallographic and magnetic structure of Tb_3Ge_5 279
P. Schobinger-Papamantellos (Zurich, Switzerland) and K. H. J. Buschow (Eindhoven, The Netherlands)

Preparation, crystal structure and magnetic properties of $Dy_5Ru_{19}P_{12}$ and isotypic lanthanoid ruthenium phosphides 299
V. Ghetta, P. Chaudouet, R. Madar and J. P. Senateur (Saint Martin d'Hères, France) and B. Lambert-Andron (Grenoble, France)

X-ray structure refinement of single crystals of CeB_6 and $Ce_{0.75}La_{0.25}B_6$ solid solution grown by the solution method 309
M. K. Blomberg and M. J. Merisalo (Helsinki, Finland), M. M. Korsukova and V. N. Gurin (Leningrad, U.S.S.R.)

Determination of the copper activity of liquid Cu–La alloys 319
F. Sommer, D. K. Choi and H.-G. Krull (Stuttgart, F.R.G.)

The magnetic structure of $EuAl_2Si_2$ 327
P. Schobinger-Papamantellos and F. Hulliger (Zurich, Switzerland)

Tensile properties and microstructures of electron beam welded molybdenum and TZM 337
F. Morito (Ibaraki, Japan)

LETTERS

Degradation of superconductivity of the superconducting oxide $YBa_2Cu_3O_{(7-x)}$ in aqueous solutions L1
H. R. Khan and Ch. J. Raub (Schwäbisch Gmünd, F.R.G.)

High temperature heat capacity and Grüneisen functions in $AgGaS_2$ L7
H. Neumann and E. Nowak (Leipzig, G.D.R.)

Notiz über ein Oxochromat der Formel $BaNi_2Cr_8O_{15}$ L11
E. Cuno and Hk. Müller-Buschbaum (Kiel, F.R.G.)

Magnetic anisotropy in $ThMn_{12}$-type compounds studied by ^{155}Gd Mössbauer spectroscopy L15
M. W. Dirken and R. C. Thiel (Leiden, The Netherlands) and K. H. J. Buschow (Eindhoven, The Netherlands)

Superconductivity of the $YBa_2Cu_3O_y$–Ag system L19
K. Tsuchida, Y. Miura, H. Tsudo and A. Kato (Fukuoka, Japan)

Nitriding of aluminium oxide in a microwave discharge L25
H. Uyama, T. Kanai and O. Matsumoto (Tokyo, Japan)

AUTHOR INDEX 347

SUBJECT INDEX 349